

Solar Panel Energy (Pty) Ltd 204 Louis Trichardt Blvd, Vanderbijlpark



Powerbox Pro

ENERGY STORAGE SOLUTIONS

LiFePO4 chemistry battery with safety performance and longer cycle life, which offers you various capacities to meet more of your requirements. **APP Monitoring • Various Installation • IP65 Protection • Flexible Expansion**

Features and advantages



APP Monitoring Remote upgrade aviliable





Easy to Installation Plug and play



Wide Compatibility Matching with leading inverter brands



Expandable Up to 4 units in parallel



+86 029 8954 0338

www.dyness-tech.com.cn

Sales@dyness-tech.com

Technical Parameters

| Model | Powerbox Pro |
|---------------------------------|-----------------------------------------------------------------------------------|
| Battery Type | LiFePO4 |
| Battery Capacity | 200Ah |
| Nominal Battery Energy | 10.24kWh |
| Recommend Output Power | 5.12kW |
| Max Output Power | 7.68kW |
| Net Weight | 115kg |
| Nominal Voltage | 51.2V |
| Dimension[W*D*H] | 555*210*1020mm |
| Working Voltage | 44.8~58.4V |
| Charging Temp. Range | 0-50°C |
| Discharging Temp. Range | -20-55°C |
| Communication | CAN / RS485/RS232 |
| Warranty | 10 Years |
| Warranty Document Supplied | Yes |
| Calendar Life ^[1] | >6000 Cycles |
| Protection Level | IP65 |
| Scalability | Up to 4 units in parallel |
| Color | White |
| Alarms | Overcharge/Overdischarge/Overcurrent/ Overtemperature/Short Circuit |
| Monitoring & Protection | Each system has smart BMS, breaker embedded in system |
| Pros | Can be used in both off-grid and hybrid setups, compact design, modular expansion |
| Compatible Inverters | Victron/SMA/Goodwe/ Imeon /Solis/SAJ / Growatt/Luxpower/Voltronic/Deye etc. |
| Certification & Safety Standard | TUV/CE/UN38.3 CEI-021 Undergoing |

[1]Test conditions:0.2C Charging/Discharging,@25°C,80% DOD

Solar Panel Energy (Pty) Ltd 204 Louis Trichardt Blvd, Vanderbijlpark





